


Storage space in steel



The Company

Versatile storage space in steel

As the market leader, BOS Best Of Steel is continually working on improving strong, easily transportable material storage units. They are quick to put into use and extendable at any given time due to their modular design. Storage which offers a sturdy all-round protection with an outstanding benefit-cost-ratio. Our claim: we always offer the simplest and most suitable solution for all sorts of different applications.


The **BOS Quick-Build-Container** is at home wherever storage space is needed in a short space of time: extremely quickly assembled, robust and available in many different sizes. The classic in the sector of mobile storage units.

**100 %
Made in
Germany**

We develop, construct and manufacture exclusively in Germany!



Always pleased to help: the friendly BOS sales team.



Quick-Build-Container

At a glance

The proven standard for industry, trade and construction.
Reliable and robust – based on over 35 years of experience.

Product information:

- Particularly sturdy via reinforced roof and floor frame
- Easy transportation with a crane or forklift truck
- Tool-free assembly – simple and quick
- Highest industrial safety, certified by TÜV and GS mark
- 10 year corrosion resistance guarantee



Ask for our
assembly film.




Flat-packed delivery, up to 7
containers can be stacked.



With 4 standard jack rings, up
to 3 or 6 tons can be lifted by
crane.



Metal runners for safe forklift transport and for ground
ventilation.



Tool-free assembly, simple and quick:

The Quick-Build-Container is assembled in just 5 minutes with 2 people
(e.g. SC3000-3x2 SZ).



The Quick-Build-Container is
simple and quick to assemble:



Position the side and end
walls.



Hang the door on its hinges.



Put on the roof - finished!

Quick-Build-Container SC3000



The bestseller for every application: flexible, mobile and sturdy.

Product information:

- 4 jack rings for easy on-site transportation, up to 3 tons can be lifted by crane
- Metal runners for forklift transport and for ground ventilation
- Snow load safety 210 kg/m²
- Floor load bearing capacity 500 kg/m²
- Tool-free assembly, simple and quick – with 2 people in just 5 minutes (example 3x2 m)

Delivery:

- Flat-packed



The classic

Accessories



Shelving system, tool and clothes hook rail or hose and cable suspensions ensure for order in the Quick-Build-Container.
For further information see page 7.



Self storage unit



Door arrangements:



in side wall
single door
door: 1150x1890 mm



in front face
single door
door: 1150x1890 mm



in front face
double door
door: 1950x1890 mm

Type SC3000		1x2	2x2	3x2	4x2	5x2	6x2
Width external/internal	(mm)	2100 / 1975	2100 / 1975	2100 / 1975	2100 / 1975	2100 / 1975	2100 / 1975
Depth external/internal	(mm)	1100 / 975	2100 / 1975	3100 / 2975	4100 / 3975	5100 / 4975	6100 / 5975
Height external/internal	(mm)	2100 / 1935	2100 / 1935	2100 / 1935	2100 / 1935	2100 / 1935	2100 / 1935

Quick-Build-Container SC6000



The exceptionally robust and safe containers have an extremely compact and durable construction and are ideal for the 'hard life' on a building site.

Product information:

- 4 jack rings for easy transportation, up to 6 tons can be lifted by crane
- Metal runners for forklift transport and for ground ventilation
- Snow load safety 210 kg/m²
- Protective corner covers offer additional theft and collision protection
- Reinforced roof and floor frame
- Floor load bearing capacity 500 kg/m²
- Tool-free assembly, simple and quick – with 2 people in just 5 minutes (example 3x2 m)

Delivery:

- Flat-packed



*Extremely robust
6 tons can be lifted by crane*

Accessories



The anti-theft security bar provides extra protection against break-in. Further information on page 7.



The solid and sturdy container – for every building site.



Door arrangements:



Type SC6000		2x2	3x2	4x2	5x2	6x2
Width external/internal (mm)	(mm)	2100 / 1975	2100 / 1975	2100 / 1975	2100 / 1975	2100 / 1975
Depth external/internal (mm)	(mm)	2100 / 1975	3100 / 2975	4100 / 3975	5100 / 4975	6100 / 5975
Height external/internal (mm)	(mm)	2100 / 1935	2100 / 1935	2100 / 1935	2100 / 1935	2100 / 1935

Storage Container SC10 / SC20 / SC40



Economical and large storage unit for industry, trade and commerce – the better alternative to a sea container!

Product information:

- 4 jack rings for easy transportation, up to 3 tons can be lifted by crane (SC10 / SC20)
- Metal runners for forklift transport (SC10 / SC20) and for ground ventilation
- Snow load safety 135 kg/m²
- Floor load bearing capacity 500 kg/m²
- Tool-free assembly, simple and quick – with 2 people in just 5 minutes (example SC10)
- Protective corner covers offer additional theft and collision protection



Delivery:

- Flat-packed



SC20 for tyre storage



SC20 as a store room for drink crates and seating



SC40 for document storage

Accessories



Shelving system, tool and clothes rail or hose and cable suspensions ensure for order in the Quick-Build-Container.
For further information see page 7.



SC40 for extra-long storage goods such as sanitary and heating pipes or tubing



Door arrangements:

SE



in front face
single door
door: 1150x2220 mm

SZ



in front face
double door
door: 1750x2220 mm

Type SC	10	20	40 (= 2xSC20, joined)
Width external/internal (mm)	2300 / 2175	2300 / 2175	2300 / 2175
Depth external/internal (mm)	3100 / 2975	6100 / 5975	12200 / 11975
Height external/internal (mm)	2400 / 2280	2400 / 2280	2400 / 2280

Accessories



Shelving system

From galvanized steel, load bearing capacity of 50 kg per shelf bracket. Self-supporting construction so that the whole floor surface can be used.

Adjustable in height in 100 mm steps.

Technical data shelving system, depth 420 mm

Comprising	Type	Shelving System 1	Shelving System 2	Shelving System 3
Shelf supports		2	2	3
Shelf brackets		6	6	9
3 shelves à		1 m	2 m	3 m
Type		RS-3-1-420	RS-3-2-420	RS-3-3-420



Anti-theft security bar

Retrofittable security bar for single and double doors from solid steel.

Type DSV



External painting

With 2K thick film lacquer in all RAL colours.

Type AL



Tool rail, clothes hook rail, hose and cable suspension

Type GL, KHL-C, SKA



Access ramp

Suitable for single and double doors. Made of non-slip aluminium-duet sheeting.

Type AFR-920


Competence and Know-how

As the market leader, BOS Best Of Steel is continually working on improving strong, easily transportable material storage units. They are quick to put into use and extendable at any given time due to their modular design. Storage which offers a sturdy all-round protection with an outstanding benefit-cost-ratio. Our claim: we always offer the simplest and most suitable solution for all sorts of different applications.

Proven Best-Point technology – the material surface remains undamaged.

At BOS only galvanized steel is used. Building components are joined together using the unique Best-Point technology, whereby in contrast to conventional production methods, the protective zinc coating is not damaged.


Consequently, BOS issues a corrosion resistance guarantee for 10 years!



**Best-Point join
without welding**



**Quality – we give
you our word!**



We develop, construct and manufacture exclusively in Germany!

**100 %
Made in
Germany**